NDT international

Index to volume 22 (1989)

No 1 (February) pp 1–64
No 2 (April) pp 65–136
No 3 (June) pp 137–200
No 4 (August) pp 201–264
No 5 (October) pp 265–328
No 6 (December) pp 329–392

Articles

1 A monitoring system for contact fatigue crack testing, H.S. Bai, L.Y. Yu, J.W. He (Ho) 162

2 Acoustic emission monitoring of a fatigue crack in 50D steel in a sea-water environment, D.J. Buttle, C.B. Scruby 81

3 Acoustic emission testing the F-111, J.M. Carlyle 67

4 AE load-cycle dependence applied to monitoring fatigue crack growth under complex loading conditions, S.J. Bowles 7

5 An investigation of horizontal axis coils for eddy current inspection, R. Clark, L.J. Bond 331

6 Comparison of conventional, through-wall and remote field eddy current techniques, S. Sullivan, D.L. Atherton, T.R. Schmidt 203

7 Control of submerged arc weld penetration by radiographic means, S.I. Rokhlin, A.C. Guu 74

8 Data interpretation in ACPD crack inspection, M.C. Lugg 149

9 Effect of bias field and stress on Barkhausen noise in pipeline steels, C. Jagadish, L. Clapham. D.L. Atherton 297

10 Electromagnetic testing, a reliable method for the inspection of wire ropes in service, H.R. Weischedel, R.P. Ramsey 155

11 Experiences in capability assessment of manual ultrasonic examination techniques for planar flaw detection and sizing in austenitic stainless steel joints, M. Cerri, R. Cusolito 229

12 Finite element calculations for correction of residual stress profiles of coated and uncoated materials measured by X-ray diffraction, T.F. Pedersen, I.L.H. Hansson 347

13 Flaw sizing with distance, probe displacement, size (DDS) diagrams, J. Szelázek 26

14 Focal spot size measurements for microfocus X-ray sets, J.U. Madsen 292

15 Further development of flaw plane identification with application to crack sizing, Jiaping Zhang 277

16 Gap width measurements in fuel elements, Y. Segal, F. Trichter 222

17 Improvement in accuracy of interpretation of the ultrasonic examination of forgings by systematic utilization of all available information, E. Nussmüller, R. Bauer 168

18 Application of computed X-ray tomography scanning for studying the aging behaviour of thick-walled rubber, E. Östman, S. Persson, H. Lavebratt 359

19 Nondestructive detection of flaws in electrically insulating materials, M.T. Bostic, D.K. Das-Gupta, R.J. Shuford 267

20 Nondestructive monitoring of fabrication parameters of sintered iron powder compacts using ultrasonics, J.P. Panakkal, H. Willems 273

21 Parametric eddy current defect depth model and its application to graphite epoxy, Susan N. Vernon 139

22 Prediction of impedance components of eddy-current coils using a PC, J. Blitz 3

23 Recent advances in probe design for eddy current testing of heat exchangers, V.S. Cecco, F.L. Sharp 217

24 Source kinematics of acoustic emission based on a moment tensor, M. Ohtsu 14

25 Study on geometric imaging for radiographic inspection, Yunsheng Deng 353

26 The classification of defects from ultrasonic data using neural networks: The Hopfield method, A.R. Baker, C. G. Windsor 97

27 The effect of the recession in the oil industry on oilfield tubular inspection, Roderic K. Stanley 31

28 The sensitivity of an NDT instrument based on the membrane resonance method, P. Cawley 209

29 Ultrasonic attenuation in quenched railway wheels, B. Kopec, V. Hanák 21

30 Ultrasonic characterization of zirconia-based thermal barriers, A. Vincent, A. Moughil 283

31 Ultrasonic imaging by leaky Rayleigh waves, P. Jagnoux, A. Vincent 339

Authors of articles

(Number refers to article number)

Atherton, D.L. **6, 9**
Bai, H.S. **1**
Baker, A.R. **26**
Bauer, R. **17**
Blitz, J. **22**
Bond, L.J. **5**
Bostic, M.T. **19**
Bowles, S.J. **4**
Buttle, D.J. **2**
Carlyle, J.M. **3**
Cawley, P. **28**
Cecco, V.S. **23**
Cerri, M. **11**
Clapham, L. **9**
Clark, R. **5**
Cusolito, R. **11**
Das-Gupta, D.K. **19**
Deng, Yunsheng **25**
Guu, A.C. **7**
Hanak, V. **29**
Hansson, I.L.H. **12**
He (Ho), J.W. **1**
Jagadish, C. **9**
Jagnoux, P. **31**

Kopec, B. **29**
Lavebratt, H. **18**
Lugg, M.C. **8**
Madsen, J.U. **14**
Moughil, A. **30**
Nussmüller, E. **17**
Ohtsu, M. **24**
Östman, E. **18**
Panakkal, J.P. **20**
Pedersen, T.F. **12**
Persson, S. **18**
Ramsey, R.P. **10**
Rokhlin, S.I. **7**
Schmidt, T.R. **6**
Scruby, C.B. **2**
Segal, Y. **16**
Sharp, F.L. **23**
Shuford, R.J. **19**
Stanley, Roderic K. **27**
Sullivan, S. **6**
Szelazek, J. **13**
Trichter, F. **16**
Vernon, Susan N. **21**
Vincent, A. **30, 31**
Weischedel, H.R. **10**
Willems, H. **20**
Windsor, C.G. **26**
Yu, L.Y. **1**
Zhang, Jiaping **15**

Keywords

(Number refers to article number)

180° wall motion, **9**
50D steel, **2**
AC potential drop (ACPD) technique, **8**
Accuracy, **15**
Acoustic emission, **4, 24**
Acoustic emission monitoring, **2, 3**
Adhesion, **30**
Aircraft, **3**
Air-cored coils, **22**
Aluminium, **28**
Automation, **3**
Capacitive detection, **19**
CFRP skin, **28**
Characterization, **26**
Circular arc and semi-elliptical cracks, **8**
Circumferential cracks, **23**
Complex plane display, **6**
Computed tomography, **18**
Contact fatigue, **1**
Corrosion by sea water, **2**
Crack sizing, **8, 15**
Crack type and orientation, **24**
Cracks, **1**
Crosslink density, **18**
DC bias field, **9**
DDS diagrams, **13**
Defect depth, **21**
Defect evaluation, **17**
Defects, **6**
Density aging, **18**
Echo immersion, **30**
Eddy current testing, **1, 5, 22, 23**
Eddy current excitation, **28**
Eddy current model, **21**
Eigenvalue analysis, **24**
Elastic beam theory, **12**
Electromagnetic testing, **10**
Electrostatic detection, **19**
Encircle Barkhausen noise, **9**
Examination reliability, **11**
Fabrication parameters, **20**
Fatigue crack growth, **4**
Fatigue cracks, **2**
Ferromagnetic tubing, **23**
Flaw sizing, **13**
Focal spot size, **14**
Forgings, **17**
Fuel element pellets, **16**
Gap width measurement, **16**
Graphite epoxy, **21**
Heat exchangers, **23**
Horizontal axis coils, **5**
Idealized defects, **21**
Impedance, **22**
Induction probe, **19**
Interference effects, **30**
Intergranular stress corrosion cracking, **11**
In-process techniques, **7**
In-service inspection, **11**
Leakage flux, **1**
Load-cycle dependence, **4**
Longitudinal velocity, **20**
L-SAFT process, **17**
Membrane resonance method, **28**
Metallic cross-sectional area, **10**
Microfocus X-ray sets, **14**
Mode conversion, **15**
Moment tensor, **24**
Neural networks, **26**
Neutron radiography, **16**
Noise, **15**
Nomex honeycomb, **28**
Offshore structures, **2**
Oil industry recession, **27**
Oilfield tubular inspection, **27**
One-dimensional skin effect, **6**
Performance-related focal spot criterion, **14**
Personal computers, **22**
Pipeline steel, **9**
Plasma spraying, **30**
Porosity, **20**
Probe design, **23**
Probe displacement, **13**
Production monitoring, **20**
Radiography, **7, 25**
Railway wheels, **29**
Remote field eddy current technique, **6**
Residual stress, **12**
Saddle voltage, **8**
Sensitivity, **28**
Service life, **10**
Sintered iron powder compacts, **20**
Source-inversion procedure, **24**
Surface acoustic waves, **31**
Surface Barkhausen noise, **9**
Surface charge decay, **19**
Tensile and compressive stresses, **9**
Tomodensitometry, **18**
Through-wall eddy current technique, **6**
Ultrasonic attenuation, **29**
Ultrasonic testing, **11, 15, 17, 31**
Ultrasonics, **13, 20, 26, 30**
Very fine pearlite, **29**
Weld defects, **26**
Weld evaluation, **7**
Wire rope, **10**
X-ray diffraction, **12**
Zirconia-based thermal barriers, **30**

NDT Abstracts

Acoustic emission (cracks and defects) 129
Eddy current techniques 175
Magnetic testing techniques 54
Neutron radiography 240
Real-time radiography 126
Residual stress measurement 366
Ultrasonic characterization of metals 302

Book reviews

Mathematical modelling in non-destructive testing 48
Nondestructive testing, NDT Gilardoni handbook 188

Meeting reports

The responsibility of the ANST Level III in industry 186
CAT '88 251
X-ray real-time radiography and image processing symposium 122
12th world conference on non-destructive testing 312
Seventh acoustic emission colloquium 45
International conference on remote-field eddy current techniques 46
Nondestructive surface analysis 10–1000 nm 376

New equipment

Acoustic emission leak monitoring system 107
Air cylinder testing 316
Automatic corrosion monitor 110
Automatic gauging and assembly for pistons 36
Automatic image evaluation system 377
Bench-top projector for small components 36
Computerized data collection system 37
Computer-aided aircraft wheel inspection uses eddy currents 323
Corrosion survey thickness gauge 377
Debris tester monitors component wear 197
Defect detector 107
Defect monitoring service launched 258
Detecting stress in glass 378
Digital ultrasonic flaw detector 380
Direct reading strain gauge logger 318
Documentation software for flaw detector 380
Eddy current instrument tests non-ferrous metals 314
Eddy current probes 107
Eddy current system for testing underwater welds 314
Electronic endoscopy system 321
Fuel-tight fiberscope range expanded 382

Hall effect thickness gauge available 38
Heavy-duty fibrescopes 320
High frequency ultrasonic flaw detector 252
High precision portable ultrasonic flaw detector 316
High sensitivity microradiometer 259
High speed coordinate measuring machine 40
Improved maintenance planning for pipelines 198
Inspection system identifies surface cracks in disc brake rotors 113
Instrumentation and systems technology service 110
Intelligent electro-magnetic system tests components and materials on line 36
Large part Brinell testing without grinding 386
Measurement video system 256
Mid-range ultrasonic flaw detector 317
MIG welding monitor system 196, 252
Mobile X-ray inspection 40
Multi-channel acoustic emission instrument 321
Multi-channel eddy current test system 40
Noise and vibration analysis software for automotive applications 110
Non-contact length and speed measurements on moving surfaces 194
Off-line crack inspection system 316
Options introduced to digital flaw detector 194
PC-based C-scan system 38
Piezo plastic accelerometers for condition monitoring 381
Portable 300 kV cp X-ray unit 255
Portable conductivity tester for non-ferrous alloys 42
Portable ferrous metal hardness tester 382
Portable in-situ C-scan system 384
Portable magnetometer 254
Portable microhardness tester is statistical process control compatible 254
Portable two-channel FFT analyser 112
Portable X-ray source 256
Programmable measuring machine for flexible turning cells 108
Quality check for heat-strengthened glass sheets 382
Quality tracking system 108
Radiographic digitizer and image processor 323
Real-time computer enhancement of X-rays 324
Real-time measurement of elastic moduli 317
Research and consultancy service 382
Residual stress measurement 322
Rigid endoscope range 255
Software for quality 378
Stress measurement using photoelastic surface coating 318
Surface mounted component inspection programme 326
Tension and compression testing for flexible components 39
Testing rotation-symmetrical parts 378
Thickness gauge 380
Transit time monitoring for portable ultrasonic flaw detection systems 112
Ultrasonic corrosion monitoring system 254
Ultrasonic inspection system for electronic components 381
Ultrasonic scanning tank for large diameter components 192
Ultrasonic thickness gauge for shop floor use 196
Universal ultrasonic flaw detector 197
Video processor for industrial X-ray applications 317
X-ray apparatus for industrial radiography 107
X-ray film has improved characteristics for NDT 196
Yoke magnet simplifies MPI 320

International news

Anglo-Swedish marketing initiative 106
Computerized training system 259
Double take-over 106
Motorized probe heads win award 106
NDT company acquired 259

Publications

Case study highlights benefits of vibration analysis 42
List of theses on nondestructive testing of fibre-reinforced polymers 189, 386
Shock and vibration textbook 113

TechAlert

Acoustic emission and nondestructive testing 261
Acoustic images of ceramic microstructures 115
Correcting for beam hardening 326
Detecting flaws in silicon carbide 44
Determining polymer properties using Lamb waves 261
Evaluating adhesive bonds 114
Fast ultrasonic scanning of large composite structures 44
Impact-echo measurements of concrete 114
Infrared detection of semiconductor defects 260
Laser excitation through fibre optics 260
Microfocus X-ray techniques for flaw location 260
Microstructural characterization with a pulsed laser 114
Microwave probing of concrete slab thickness 260
Three-frequency eddy-current monitor 327
X-rated computed tomography and ceramic/ceramic composites 114
X-ray CT inspection of solder bonds 261

Reprints of all articles in this journal are available in quantities of 100 or more.

Reprints are essential –
for the company that wants to distribute impartial comment on its activities to potential customers and clients. for the company that wants to up-date its technical staff on new techniques and new technologies.

For full details of prices and availability of reprints, please write to:
The Reprint Department, Butterworth Scientific Limited, PO Box 63, Westbury House, Bury Street, Guildford, Surrey, GU2 5BH.